

Cuscinetti a rulli NCF3010CV-SKF - NCF3010CV-SKF

<https://www.123cuscinetti.it/cuscinetti-supporti/cuscinetti-rulli/rulli/ncf3010cv-skf>

Dimensions d'encadrement			Charges de base		Vitesses de base		Designation
d	D	B	dynamique C	statique C ₀	Vitesse de référence br/min	Vitesse limite	
mm			kN				
50	80	23	76,5	98	4000	5000	NCF 3010 CV

Technical drawing showing dimensions and calculation coefficients for the NCF3010CV roller bearing. The drawing includes a side view and a cross-section view. Dimensions shown include: D = 80 mm, B = 23 mm, d = 50 mm, E = 72,3 mm, E₁ = 68 mm, f_{1,2max} = 2 mm, f_{1,2min} = 1 mm, r_{max} = 1 mm, r_{min} = 0,3 mm, D_{max} = 75 mm, D_{app} = 77 mm, D_{max} = 55 mm, D_{app} = 56,7 mm. Calculation coefficients are listed as: k_y = 0,3, ε = 0,3, Y = 0,4.

CARATTERISTICHE DEL PRODOTTO

Marchio	SKF
N° Ean13	7316570465334
Diametro interno	50 mm
Diametro esterno	80 mm
Spessore	23 mm
Imballaggio	-

contatto@123cuscinetti.it

+33 3 59 36 04 90

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE